Ashton Coal

Environmental Noise Monitoring May 2017

Prepared for Ashton Coal Operations Pty Ltd



Noise and Vibration Analysis and Solutions

Global Acoustics Pty Ltd PO Box 3115 | Thornton NSW 2322 Telephone +61 2 4966 4333 Email global@globalacoustics.com.au ABN 94 094 985 734

Ashton Coal

Environmental Noise Monitoring May 2017

Reference: 17208_R01 Report date: 29 June 2017

Prepared for

Ashton Coal Operations Pty Limited PO Box 6699 Singleton NSW 2330

Prepared by

Global Acoustics Pty Ltd PO Box 3115 Thornton NSW 2322

Kheekes

Prepared:

Michael Swanson Acoustics Technician QA Review: Katie Weekes Environmental Scientist (Acoustics)

Global Acoustics Pty Ltd ~ Environmental noise modelling and impact assessment ~ Sound power testing ~ Noise control advice ~ Noise and vibration monitoring ~ OHS noise monitoring and advice ~ Expert evidence in Land and Environment and Compensation Courts ~ Architectural acoustics ~ Blasting assessments and monitoring ~ Noise management plans (NMP) ~ Sound level meter and noise logger sales and hire

EXECUTIVE SUMMARY

Global Acoustics was engaged by Ashton Coal Operations to conduct monthly noise monitoring for the Ashton Coal Project (ACP) in accordance with the relevant Project Approval, Environment Protection Licence, and Noise Management Plan.

Environmental noise monitoring described in this report was undertaken during the night of 18/19 May 2017. The survey purpose is to quantify and describe the existing acoustic environment at monitoring locations around the site and compare results with relevant limits.

Operational Noise Assessment

Activities from ACP complied with the relevant project specific noise limits at all monitoring locations during attended noise monitoring for May 2017.

Low Frequency Assessment

None of the 3 measurements occurred during which ACP was the primary low frequency source, was directly measurable (not "inaudible", "not measurable" or less than a maximum cut-off value "<30 dB"), where ACP was within 5 dB of the criterion (or exceeded the criterion), and where meteorological conditions resulted in criteria applying (in accordance with the consent). No further low frequency assessment was undertaken.

Global Acoustics Pty Ltd

Table of Contents

1 INTRODUCTION	1
1.1 Background	1
1.2 Attended Noise Monitoring Locations	1
1.3 Terminology & Abbreviations	3
2 CONSENT AND CRITERIA	4
2.1 Project Approval and Project Specific Criteria	4
2.2 Environment Protection Licence	5
2.3 Modifying Factors	5
2.3.1 Tonality, Intermittent and Impulsive Noise	5
2.3.2 Low Frequency Noise	5
	_
3 METHODOLOGY	7
3 METHODOLOGY	
	7
3.1 Overview	7
3.1 Overview 3.2 Attended Noise Monitoring	7 7 8
3.1 Overview3.2 Attended Noise Monitoring3.3 Vertical Temperature Gradient Estimation	7 7 8 9
 3.1 Overview 3.2 Attended Noise Monitoring 3.3 Vertical Temperature Gradient Estimation 3.4 Noise Monitoring Equipment 	7 7 8 9 10
 3.1 Overview 3.2 Attended Noise Monitoring 3.3 Vertical Temperature Gradient Estimation	7 7 8 9 10
 3.1 Overview	7 7

Appendices

Α	PROJECT APPROVAL AND ENVIRONMENT PROTECTION LICENCE	14
B	CALIBRATION CERTIFICATES	18

1 INTRODUCTION

1.1 Background

Global Acoustics was engaged by Ashton Coal Operations to conduct environmental noise monitoring for the Ashton Coal Project (ACP). ACP is an underground mine located to the north-west of Camberwell, off the New England Highway.

Monthly attended noise monitoring is a requirement of the ACP Noise Management Plan (NMP). Monitoring described in this report was undertaken at three locations during the night period of 18/19 May 2017.


The survey purpose is to quantify and describe the existing acoustic environment at monitoring locations around the site and compare results with relevant limits.

1.2 Attended Noise Monitoring Locations

There were three monitoring locations during this survey as detailed in Table 1.1 and shown on Figure 1. It should be noted that this figure shows the actual monitoring position, not the location of residences.

Report Descriptor	Monitoring Location
N2	Camberwell village (west)
N3	Camberwell village (north-east)
N4	South of New England Highway

Table 1.1: ATTENDED NOISE MONITORING LOCATIONS



Source: Ashton Coal Project NMP

Figure 1: ACP Attended Noise Monitoring locations

1.3 Terminology & Abbreviations

Some definitions of terms and abbreviations, which may be used in this report, are provided in Table 1.2.

Table 1.2: TERMINOLOGY & ABBREVIATIONS

Descriptor	Definition
L _A	The A-weighted root mean squared (RMS) noise level at any instant
L _{Amax}	The maximum A-weighted noise level over a time period or for an event
L _{A1}	The noise level which is exceeded for 1 per cent of the time
L _{A10}	The noise level which is exceeded for 10 percent of the time, which is approximately the average of the maximum noise levels
L _{A50}	The noise level which is exceeded for 50 per cent of the time
L _{A90}	The level exceeded for 90 percent of the time, which is approximately the average of the minimum noise levels. The L _{A90} level is often referred to as the "background" noise level and is commonly used to determine noise criteria for assessment purposes
L _{Amin}	The minimum A-weighted noise level over a time period or for an event
L _{Aeq}	The average noise energy during a measurement period
dB(A)	Noise level measurement units are decibels (dB). The "A" weighting scale is used to describe human response to noise
SPL	Sound pressure level (SPL), fluctuations in pressure measured as 10 times a logarithmic scale, the reference pressure being 20 micropascals
Hertz (Hz)	Cycles per second, the frequency of fluctuations in pressure, sound is usually a combination of many frequencies together
VTG	Vertical temperature gradient in degrees Celsius per 100 metres altitude. Estimated from wind speed and sigma theta data
IA	Inaudible. When site only noise is noted as IA, there was no noise from the source of interest audible at the monitoring location
NM	Not Measurable. If site only noise is noted as NM, this means some noise from the source of interest was audible at low-levels, but could not be quantified
Day	This is the period 7:00am to 6:00pm
Evening	This is the period 6:00pm to 10:00pm
Night	This is the period 10:00pm to 7:00am

2 CONSENT AND CRITERIA

2.1 Project Approval and Project Specific Criteria

The sections of the project approval relating to noise are reproduced in Appendix A. Different noise limits exist for ACP when open cut mining operations are not being undertaken. As this is currently the case, noise impact assessment criteria are outlined in Appendix 6 the PA (MOD 5) and are detailed in Table 2.1.

Table 2.1: ACP NOISE IMPACT ASSESSMENT CRITERIA

Descriptor	Day/Evening/Night Impact Assessment Criteria ^L Aeq,15minute	Night Impact Assessment Criteria ^L A1,1minute
N2	38/38/36	46
N3	38/38/36	46
N4	38/38/36	46

Appendix 8 of the project approval states:

Data collected for the purposes of determining compliance with the relevant conditions of this approval is to be excluded under the following meteorological conditions:

a) during periods of rain or hail;

b) average wind speed at microphone height exceeds 5 m/s;

c) wind speeds greater than 3 m/s measures at 10 m above ground level; and

d) temperature inversion conditions greater than 3°C/100m.

This has been interpreted to mean that criteria used for determining compliance are not applicable under the above meteorological conditions.

2.2 Environment Protection Licence

ACP holds Environment Protection Licence (EPL) No. 11879. The most recent license revision was issued on 24 October 2016. The relevant sections of the EPL relating to noise are reproduced in Appendix A.

2.3 Modifying Factors

Noise monitoring and reporting is carried out generally in accordance with the Environment Protection Authority (EPA) 'Industrial Noise Policy' (INP). Chapter 4 of the INP deals specifically with modifying factors that may apply to industrial noise. The most common modifying factors are addressed in detail below.

2.3.1 Tonality, Intermittent and Impulsive Noise

As defined in the INP:

Tonal noise contains a prominent frequency and is characterised by a definite pitch.

Impulsive noise has high peaks of short duration or a sequence of such peaks.

Intermittent noise is characterised by the level suddenly dropping to the background noise levels several times during a measurement, with a noticeable change in noise level of at least 5 dB. Intermittent noise applies to night-time only.

There were no intermittent noise sources from ACP during the survey. In addition, there is no equipment on site that is likely to generate tonal or impulsive noise as defined in the INP.

2.3.2 Low Frequency Noise

Broner Method

Low frequency noise can also be assessed against criteria specified in the paper "A Simple Method for Low Frequency Noise Emission Assessment" (Broner JLFNV vol29-1 pp1-14 2010). If the total predicted site only C-weighted noise level at a receptor exceeds the relevant criterion, a 5 dB penalty (modifying factor) is added to measured levels. This method is included to provide a comparison with the INP method.

INP Method

As defined in the INP:

Low frequency noise contains major components within the low frequency range (20 Hz to 250 Hz) of the frequency spectrum.

As detailed in Chapter 4 of the INP, low frequency noise should be assessed by measuring the site only C-weighted and site only A-weighted level over the same time period. The correction/penalty of 5 dB is applied *if the difference between the two levels is 15 dB or more*.

Low Frequency Assessment Methods

Low frequency assessment methods are detailed in Table 2.2.

Table 2.2: LOW FREQUENCY ASSESSMENT METHODS AND MODIFYING FACTOR TRIGGERS

Assessment Method	Calculation Method	Night Period Modifying Factor Trigger	Day Period Modifying Factor Trigger
Broner, 2010	Site only L _{Ceq}	>60	>65
INP, total	Site only $L_{\mbox{Ceq}}$ minus site only $L_{\mbox{Aeq}}$	>=15	>=15

The EPA is currently undertaking a review of the assessment of low frequency noise. While a Draft Industrial Noise Guideline (ING) was released in September 2015, low frequency noise results from ACP have been compared to the assessment methods and modifying factor triggers presented above. The applicability of these triggers has been considered when applying low frequency modifying factor corrections.

3 METHODOLOGY

3.1 Overview

Noise monitoring was conducted at the monitoring locations in accordance with the EPA INP and Australian Standard AS1055 'Acoustics, Description and Measurement of Environmental Noise'.

Meteorological data was obtained from ACP's weather stations; 'Repeater Weather Station' (M2) and 'Site 1 Weather Station' (M1). This allowed correlation of atmospheric parameters and measured noise levels. See Section 3.3 for further details on calculation method. Atmospheric condition measurement at ground level was also undertaken.

3.2 Attended Noise Monitoring

During this survey, attended monitoring was undertaken at three locations during night period, once at each location. The duration of each measurement was 15 minutes.

Attended monitoring is preferred to the use of noise loggers when determining compliance with prescribed limits as it allows the most accurate determination of the contribution, if any, to measured noise levels by the source of interest, in this ACP.

If the exact contribution of the source of interest cannot be established, due to masking by other noise sources in a similar frequency range, but site noise levels are observed to be well below (more than 5 dB lower than) any relevant criterion, a maximum estimate of the potential contribution of the site might be made based on other measured site-only noise levels, for example L_{A10} , L_{A50} or L_{A90} . This is generally expressed as a 'less than' quantity, such as <20 dB or <30 dB.

The terms 'Inaudible' (IA) or 'Not Measurable' (NM) may also be used in this report. When site noise is noted as IA, no site noise was audible at the monitoring location. When site noise is noted as NM, this means some noise was audible but could not be quantified. If site noise was NM due to masking but estimated to be significant in relation to a relevant criterion, we would employ methods as per the Industrial Noise Policy (e.g. measure closer and back calculate) to determine a value for reporting.

Therefore, all sites noted as NM in this report are due to one or more of the following reasons:

- site noise levels were extremely low and unlikely, in many cases, to be even noticed;
- site noise levels were masked by another relatively loud noise source that is characteristic of the environment (e.g. breeze in foliage or continuous road traffic noise) that cannot be eliminated by moving closer; and/or
- it was not feasible or reasonable to employ INP methods such as move closer and back calculate. Cases may include, but are not limited to, rough terrain preventing closer measurement, addition/removal of significant source to receiver shielding caused by moving closer, and meteorological conditions where back calculation may not be accurate.

A measurement of $L_{A1,1minute}$ corresponds to the highest noise level generated for 0.6 second during one minute. In practical terms this was quantified by measuring or estimating the highest noise level emitted from a site noise source during the entire measurement period (i.e. the highest level of the worst minute during the 15 minute measurement).

To avoid disturbance to residents, particularly during the night period, monitoring locations have been used to represent multiple residences. Suitable monitoring locations where noise levels are likely to be higher than those measured at the residence are chosen to take a conservative approach, as the direct measurement of noise 1 metre from the dwelling facades or within 30 metres of the residence is often impractical due to access requirements and the presence of dogs, air conditioners and other noise sources at the residences.

Received levels from various noise sources were noted during attended monitoring and particular attention was paid to the extent of Ashton Coal Operation's contribution, if any, to measured levels. At each receptor location, the $L_{Aeq,15min}$ for Ashton Coal Operation (in the absence of any other noise) was measured directly, where possible, or determined by frequency analysis. Time variations of noise sources in each measurement, their temporal characteristics, are taken into account via statistical descriptors.

3.3 Vertical Temperature Gradient Estimation

Temperature inversion conditions have been determined using direct measurement method as referred to in Part E2 of Appendix E to the NSW INP.

Inversion strength based on the temperature differential between the two weather stations was calculated using the following formula:

Inversion strength = (upper height temp – lower height temp) x (100/[upper height – lower height]),

Where:

- Upper height temperature is the temperature measured at 10 metres above ground level at M2;
- Lower height temperature is the temperature measured at 10 metres above ground level at M1; and
- Upper height lower height is the vertical difference between M2 and M1 (which is 55.6 metres).

3.4 Noise Monitoring Equipment

The equipment used to measure environmental noise levels is detailed in Table 3.1. Calibration certificates are provided in Appendix B.

Table 3.1: ATTENDED NOISE MONITORING EQUIPMENT

Model	Serial Number	Calibration Due Date
Rion NA-28 sound level analyser	3013882	14/03/2019
Pulsar 105 acoustic calibrator	78226	14/03/2019

4 RESULTS

4.1 Attended Noise Monitoring

Noise levels measured at each location during attended surveys are provided in Table 4.1. These noise levels are the result of many sounds reaching the sound level meter microphone during monitoring.

Location	Start Date and Time	L _{Amax} dB	L _{A1} dB	L _{A10} dB	L _{A50} dB	L _{Aeq} dB	L _{A90} dB	L _{Amin} dB	L _{Ceq} dB
N2	18/05/2017 22:31	63	60	56	48	51	38	35	58
N3	18/05/2017 22:50	51	49	43	36	40	32	30	55
N4	18/05/2017 23:13	54	49	46	41	43	37	33	58

Table 4.1: MEASURED NOISE LEVELS - MAY 2017

Notes:

1. Levels in this table are not necessarily the result of activity at ACP.

Table 4.2 compares measured LAeq,15minute levels from ACP with impact assessment criteria.

Location	Start Date and Time	Wind Speed m/s ^{1,5}	VTG °C/100m ^{1,5}	Criterion dB	Criterion Applies? ^{1,5}	ACP LAeq dB ^{2,4}	Exceedance ^{3,4}
N2	18/05/2017 22:31	2.0	1.1	36	Yes	IA	Nil
N3	18/05/2017 22:50	2.0	1.8	36	Yes	IA	Nil
N4	18/05/2017 23:13	2.4	3.1	36	No	IA	NA

Table 4.2: LAea,15minute GENERATED BY ACP AGAINST IMPACT ASSESSMENT CRITERIA – MAY 2017

Notes:

1. Noise emission limits do not apply during the following meteorological conditions: periods of rain or hail, wind speeds greater than 3 metres per second (at a height of 10 metres); or temperature inversion conditions greater than 3°C/100m;

3. NA in exceedance column means atmospheric conditions outside conditions specified in development consent and so criterion is not applicable;

4. Bolded results in red indicate exceedance of criteria; and

5. Criterion may or may not apply due to rounding of meteorological data values.

^{2.} Estimated or measured LAeq, 15minute attributed to ACP;

Table 4.3 compares measured LA1,1minute levels from ACP with impact assessment criteria.

Location	Start Date and Time	Wind Speed m/s ^{1,5}	VTG °C/100m ^{1,5}	Criterion dB	Criterion Applies? ^{1,5}	ACP L _{A1,1} min dB ^{2,4}	Exceedance ^{3,4}
N2	18/05/2017 22:31	2.0	1.1	46	Yes	IA	Nil
N3	18/05/2017 22:50	2.0	1.8	46	Yes	IA	Nil
N4	18/05/2017 23:13	2.4	3.1	46	No	IA	NA

Table 4.3: LA1.1minute GENERATED BY ACP AGAINST IMPACT ASSESSMENT CRITERIA – MAY 2017

Notes:

1. Noise emission limits do not apply during the following meteorological conditions: periods of rain or hail, wind speeds greater than 3 metres per second (at a height of 10 metres); or temperature inversion conditions greater than 3°C/100m;

2. Estimated or measured LA1,1minute attributed to ACP;

3. NA in exceedance column means atmospheric conditions outside conditions specified in development consent and so criterion is not applicable;

- 4. Bolded results in red indicate exceedance of criteria; and
- 5. Criterion may or may not apply due to rounding of meteorological data values.

4.2 Low Frequency Assessment

Table 4.4 provides statistics for attended noise monitoring undertaken around ACP during the survey.

Table 4.4: ATTENDED MEASUREMENT STATISTICS FOR ACP – MAY 2017

Conditions	Total for May 2017
Number of measurements	3
Number of measurements where criterion applied	2
Number of measurements where ACP was measurable, was within 5 dB of the criterion (or exceeded the relevant criterion) and criterion applied	0

None of the three measurements occurred during which operational activities from ACP were directly measurable (not "inaudible", "not measurable" or less than a maximum cut-off value of 30 dB), were within 5 dB of the relevant criterion (or exceeded the relevant criterion) and where meteorological conditions resulted in criteria applying (in accordance with the project approval). No further low-frequency assessment was required.

4.3 Atmospheric Conditions

Atmospheric condition data measured by the operator at each location is shown in Table 4.5. Atmospheric condition data is routinely recorded on a site-by-site basis to show conditions during the monitoring period. The wind speed, direction and temperature were measured at 1.8 metres. Attended noise monitoring is not undertaken during rain or hail.

Table 4.5: MEASURED ATMOSPHERIC CONDITIONS – MAY 2017

Location	Start Date and Time	Temperature Degrees	Wind Speed m/s	Wind Direction Degrees	Cloud Cover Eighths
N2	18/05/2017 22:31	14	0.5	360	0
N3	18/05/2017 22:50	13	0.0	-	0
N4	18/05/2017 23:13	13	0.9	140	0

Notes:

1. Wind speed and direction measured at 1.8 metres; and

2. "-" indicates calm conditions at 1.8 metres.

Meteorological data from ACP weather stations are used to determine compliance with specified noise criteria.

5 SUMMARY OF COMPLIANCE

Global Acoustics was engaged by Ashton Coal Operations to conduct noise monitoring for the Ashton Coal Project in accordance with Project Approval, EPL, and NMP.

The following summaries apply to attended noise monitoring conducted during the night period of 18/19 May 2017.

Operational Noise Assessment

Activities from ACP complied with the relevant development consent noise limits during attended noise monitoring for May 2017 at all monitoring locations.

Low Frequency Assessment

None of the three measurements occurred during which ACP was the primary low frequency source, was directly measurable (not "inaudible", "not measurable" or less than a maximum cut-off value "<30 dB"), where ACP was within 5 dB of the criterion (or exceeded the criterion), and where meteorological conditions resulted in criteria applying (in accordance with the consent). No further low frequency assessment was undertaken.

Global Acoustics Pty Ltd

APPENDIX

A PROJECT APPROVAL AND ENVIRONMENT PROTECTION LICENCE

A.1 ASHTON COAL OPERATIONS PROJECT APPROVAL

Relevant sections of project approval (modification 5) are reproduced below.

APPENDIX 6 ALTERNATE NOISE CONDITIONS

NOISE

Application

 Conditions 2 to 3 below have effect during times when open cut mining operations are not being undertaken at the Ashton Mine Complex, in the opinion of the Secretary.

Noise Criteria

 Except for the noise-affected land in Table 1 of Schedule 3, the Applicant must ensure that the noise generated by the development does not exceed the criteria in Table 1 at any residence on privatelyowned land or on more than 25 per cent of any privately-owned land.

Table 1: Noise Criteria dB(A)

Receiver	Receiver	Day	Evening	Night	Night
No.		(LAsg (15min))	(L _{Aeg (15min}))	(LAeq(15min))	(LA1(1mk))
-	All privately-owned land	38	38	36	46

Noise generated by the development is to be measured in accordance with the relevant requirements of the NSW Industrial Noise Policy. Appendix 8 sets out the requirements for evaluating compliance with these criteria.

However, these noise criteria do not apply if the Applicant has an agreement with the relevant owner/s of the residence/land to generate higher noise levels, and the Applicant has advised the Department in writing of the terms of this agreement.

Additional Noise Mitigation Measures

3. Upon receiving a written request from the owner of any residence on any privately-owned land where subsequent operational noise monitoring shows the noise generated by the development exceeds the noise limits in Table 2, the Applicant must implement additional reasonable and feasible noise mitigation measures (such as double glazing, insulation, and/or air conditioning) at the residence in consultation with the owner.

If within 3 months of receiving this request from the landowner, the Applicant and the landowner cannot agree on the measures to be implemented, or there is a dispute about the implementation of these measures, then either party may refer the matter to the Secretary for resolution.

Table 2:	Additional	Noise	Mitigation	Criteria dB(A)	LAg (15min)
----------	------------	-------	------------	----------------	-------------

Receiver	Receiver	Day	Evening	Night
No.		(L _{Aeq (15min)})	(L _{Aeq (15min}))	(LAeq (15min))
-	All privately-owned land	38	38	38

Notes:

- Noise generated by the development is to be measured in accordance with the relevant requirements of the NSW Industrial Noise Policy. Appendix 8 sets out the requirements for evaluating compliance with these criteria.
- For this condition to apply, the exceedance of the criteria must be systemic.

APPENDIX 8 NOISE COMPLIANCE ASSESSMENT

Compliance Monitoring

- 1. Attended monitoring is to be used to evaluate compliance with the relevant conditions of this approval.
- Data collected for the purposes of determining compliance with the relevant conditions of this approval is to be excluded under the following meteorological conditions:
 - a) during periods of rain or hail;
 - b) average wind speed at microphone height exceeds 5 m/s;
 - c) wind speeds greater than 3 m/s measures at 10 m above ground level; and
 - d) temperature inversion conditions greater than 3°C/100m.
- Unless otherwise agreed with the Secretary, this monitoring is to be carried out in accordance with the relevant requirements relating for reviewing performance set out in the NSW Industrial Noise Policy (as amended from time to time), in particular the requirements relating to:
 - monitoring locations for the collection of representative noise data;
 - b) equipment used to collect noise data, and conformity with Australian Standards relevant to such equipment; and
 - modifications to noise data collected, including for the exclusion of extraneous noise and/or penalties for modifying factors apart from adjustments for duration.
- To the extent that there is any inconsistency between the Industrial Noise Policy and the requirements set out in this Appendix, the Appendix prevails to the extent of the inconsistency.

Determination of Meteorological Conditions

 Except for wind speed at microphone height, the data to be used for determining meteorological conditions shall be that recorded by the meteorological station located in the vicinity of the site (as required by condition 18 of Schedule 3).

A.2 ASHTON COAL OPERATIONS ENVIRONMENT PROTECTION LICENCE 11879

Relevant sections of EPL 11879 are reproduced below.

L2 Noise limits

L2.1 Noise from the premises must not exceed the limits specified in the table below:

Location	Day LAeq(15	Evening LAeq(15	Night LAeq(15	Night LAeq(1
	minute)	minute)	minute)	minute)
Any residence not owned by the licensee or not subject to an agreement between the licensee and the residence owner as to an alternative noise limit.	38	38	36	46

L2.2 For the purpose of Condition L2.1:

a) Day is defined as the period from 7am to 6pm Monday to Saturday and 8am to 6pm Sundays and Public Holidays,

b) Evening is defined as the period from 6pm to 10pm, and

c) Night is defined as the period from 10pm to 7am Monday to Saturday and 10pm to 8am Sundays and Public Holidays

- L2.3 Noise from the premises must be measured at the most affected point on or within the residential boundary or at the most affected point within 30m of the dwelling where the dwelling is more than 30m from boundary to determine compliance with the LAeq(15 minute) noise limits in condition L2.1. Where it can be demonstrated that direct measurement of noise from the premises is impractical, the EPA may accept alternative means of determining compliance. See Chapter 11 of the NSW Industrial Noise Policy. The modification factors presented in Section 4 of the NSW Industrial Noise Policy shall also be applied to the measured noise level where applicable.
- L2.4 Noise from the premises is to be measured or computed at 1m from the dwelling facade to determine compliance with condition L2.1 (LA1 (1 minute) noise limit).
- L2.5 The noise emission limits identified in condition L2.1 apply under the following meteorological conditions:

a) wind speeds up to 3m/s at 10m above ground level; andb) temperature inversion conditions up to 30C/100m.

L2.6 Open cut mining activities must only be carried out between the hours of 0700 and 2200 Monday to Saturday, and 0800 and 2200 on Sundays and Public Holidays.

APPENDIX

B CALIBRATION CERTIFICATES

6)) Research	Level 7 Building 2 423 Pennant Hills NSW A Ph: +61 2 9484 0800 A.B	N. 65 160 200 11	10
-	Laus Pty Ltd	www.acousticrese	arch.com.au	Contraction of the second
		Level Meter 61672-3.2013		
		ion Certificate	e	
	Calibration Number	· C17126		
	Client Details	Global Acoustics Pty Ltd 12/16 Huntingdale Drive Thornton NSW 2322	and	and the second
Equip	nent Tested/ Model Number :	Rion NA-28	No Pros	and the second
	Instrument Serial Number :			
1	Microphone Serial Number : Pre-amplifier Serial Number :			
	mospheric Conditions		nospheric Condit	ions
Ambient Ten			t Temperature :	22.6°C
Relative	Humidity: 55.6%		tive Humidity :	58.1% 99.85kPa
Barometric			netric Pressure :	
Calibration Techn Calibration		Secondary Chee Report Issue Date	A CONTRACTOR OF	
	Approved Signatory	Bill		Ken William
Clause and Charact		esult Clause and Chara		Resu
		Pass 17: Level linearity inc Pass 18: Toneburst response		ntrol Pass Pass
14: Frequency and time	and and a second	Pass 19: C Weighted Peak		Pass
15: Long Term Stabilit	y .	Pass - 20: Overload Indication		Pass
16: Level linearity on t	he reference level range	Pass 21: High Level Stabil	ity	Pass
The sound level meter su	bmitted for testing has successfully con conditions under v	npleted the class 1 periodic tests of which the tests were performed.	IEC 61672-3:2006, for	the environmenta
performed in accordance	available, from an independent testing with IEC 61672-2:2003, to demonstra 02, the sound level meter submitted fo	te that the model of sound level met	er fully conformed to the	he requirements in
Acoustic Tests	Least Uncer	tainties of Measurement - Environmental Conditions	Contraction of the	6.50
Acoustic Tests 31.5 Hz to 8kHz	±0.16dB	Temperature	±0.05°C	
12.5kHz 16kHz	±0.2dB ±0.29dB	Relative Humidity Barometric Pressure	±0.46% ±0.017kPa	
Electrical Tests		Der oner ic 2 ressure	10.01 / H I II	
31.5 Hz to 20 kHz	±0.12dB	0507 and dama family id	a factor of 2	
	All uncertainties are derived at the	95% confidence level with a coverag	te factor of 2.	
	This calibration certificate is to be n	ead in conjunction with the calibrati	on test report.	
~	Acoustic Research Labs Pty Ltd is ?			
NATA	Accredited for compliance with ISC			
WORLD RECOGNISED	The results of the tests, calibrations Australian/national standards.	and/or measurements included in th	is document are traceal	ble to
ACCREDITATION	NATA is a signatory to the ILAC M equivalence of testing, medical testi			n of the
	and the second second			PAGE 1 OF 1

<image/> <image/> <text><text><section-header><text><text><text><text><text><text><text><text><text><text></text></text></text></text></text></text></text></text></text></text></section-header></text></text>	E	Acoustic Research		ding 2 423 Pen Ils NSW AUST		
<section-header><section-header><section-header><section-header><section-header><section-header></section-header></section-header></section-header></section-header></section-header></section-header>	C C	Labs Pty Ltd	www.aco	usticresearc	h.com.au	
<section-header><section-header><section-header><section-header><text><text><text><text><text><text><text></text></text></text></text></text></text></text></section-header></section-header></section-header></section-header>		Soun	d Calibra	tor		
Calibration Number C17127 Client Detail Global Acoustics Pty Ltd 12/16 Humingdale Drive Thomton NSW 2322 Equipment Tested/ Model Number: Pulsar 105 Instrument Serial Number: Relative Humidity: 55.0% Barometric Pressure: Relative Humidity: S5.0% Barometric Pressure: Calibration Technician: Vicky Jaiswal Relative Humidity: S5.0% Barometric Pressure: Calibration Date: 14/03/2017 Maproved Signator: Ken William: Taxe and Characteristic Tested Result Clearented Sound Pressure Level Pass 2.3: Short Term Fluctuation Pass Short Term Pluctuation 94.0 1000.32 1000.32 easured Output 94.0 1000.32 Pass Short Term Fluctuation 9.3.2: Frequency Generated Pass 5.3: Total Distortion Pass Sciented Sound Pressure Level Pass 5.3: Total Distortion Pass Conducture Massurement 0.00.3 94.1 1000.32 essured Output 94.0 100.3 100.32 1000.32 etound calibrator has been shown to conform to the class		IEC	C 60942-2004	4		
Client Details Global Acoustics Pty Ltd 12/16 Huntingdale Drive Thornton NSW 2322 Equipment Tested/ Model Number: Pulsar 105 Enstrument Serial Number: Tested/ Model Number: 78226 Atmospheric Conditions Ambient Temperature: Ambient Temperature: 22.3°C Barometric Pressure: 99.9kPa Calibration Technician: Vicky Jaiswal Example Temperature: Secondary Check: Relative Humidity: St.50% Barometric Pressure: 99.9kPa Calibration Date: 14/03/2017 Resould Characteristic Tested Result Clience and Characteristic Tested Result Clience and Characteristic Tested Result 22: Generated Sound Pressure Level Pass 23: Short Term Fluctuation Pass Moninal Level Noninal Frequency Measured Level Measured Pressure Measured Output 94.0 1000.0 94.1 1000.32 et own delibritor has been shown to conform to the class 1 requirements for periodic testing, described in Annex B of EC 60942.2004 for the sound pressure level(s) and frequency(s) existed. for the minumal continuous ADSYC Short Term Fluct 0.0148		Calibrat	ion Cer	tificate		
12/16 Huntingdale Drive Thornton NSW 2322 Equipment Tested / Model Number: Pulsar 105 Relative Hundidity: Starument Serial Number: P2236 Barometric Conditions Ambient Temperature: Relative Hundidity: 55.6% Barometric Pressure: Barometric Pressure: 99.9kPa Calibration Technician: Vicky Jaiswal Kentric Pressure: Secondary Check: Riley Cooper Calibration Date: 14/03/2017 Report Issue Date: 15/03/2017 Approved Signatory: Wick Ken Williams Taxe and Characteristic Tested Result Clause and Characteristic Tested Result 23: Generated Sound Pressure Level Naminal Frequency Concreted Result 23: 35 23: Short Term Fluctuation Pass 5.5: Total Distortion Pass 24: Generated of Infequency (vice) stated, of the environmental Conditions under which the tests were performed. 1000.32 et sound calibrator has been shown to conform to the class 1 requirements for periodic testing, described in Annex B of IEC 60942 2004 for the sound pressure level(s) and frequency (vice) stated, of the environmental Conditions under were performed. Center Term Fluct 0.0105 Barometric Pressure 0.017kPa <td< th=""><th></th><th>Calibration Number</th><th>r C17127</th><th></th><th></th><th></th></td<>		Calibration Number	r C17127			
Nominal Level Nominal Fequency Measured Control of the construction of the calibration test report. Resurced Output 94.0 1000.9 94.1 1000.2 Resurced International for the construction of the calibration test report. Lest Virtual and the 95% confidence level with a coverage factor of 2. Result Construction of the calibration certificate is to be read in conjunction with the calibration test report. Additional the 95% confidence level with a coverage factor of 2.	STATISTICS.	Client Detail			S 1. 197	6
Instrument Serial Number: 78226 Atmospheric Conditions Ambient Temperature: 22.3°C Relative Humidity: 55.6% Barometric Pressure: 99.9kPa Calibration Technician: Vicky Jaiswal Secondary Check: Riley Cooper Calibration Date: 14/03/2017 Report Issue Date: 15/03/2017 Maproved Signatory: Ween Williams Image: Approved Signatory: Ken Williams Image: And Characteristic Tested Result Calibration Decision: Pass 5.3.2: Frequency Generated Nessured Pressure Level Pass 2.3: Short Term Fluctuation Pass 5.5.7: Otal Distortion Pass 2.3: Short Term Fluctuation Pass 5.5.7: Otal Distortion Pass 2.3: Short Term Fluctuation Pass 5.5.7: Otal Distortion Pass Second apressure level(s) and frequency(second testing, described in Annex B of IEC 60942:2004 for the environmental conditions under which the tests were performed. Least Uncertainties of Measurement - Least Uncertainties of Measurement - 0.05°C Short Term Fluct a.011dB Temperature and 0.05°C 0.017kPa Short Term Fluct a.022B				•		
Instrument Serial Number: 78226 Atmospheric Conditions Ambient Temperature: 22.3°C Relative Humidity: 55.6% Barometric Pressure: 99.9kPa Calibration Technician: Vicky Jaiswal Secondary Check: Riley Cooper Calibration Date: 14/03/2017 Report Issue Date: 15/03/2017 Maproved Signatory: Ween Williams Image: Approved Signatory: Ken Williams Image: And Characteristic Tested Result Calibration Decision: Pass 5.3.2: Frequency Generated Nessured Pressure Level Pass 2.3: Short Term Fluctuation Pass 5.5.7: Otal Distortion Pass 2.3: Short Term Fluctuation Pass 5.5.7: Otal Distortion Pass 2.3: Short Term Fluctuation Pass 5.5.7: Otal Distortion Pass Second apressure level(s) and frequency(second testing, described in Annex B of IEC 60942:2004 for the environmental conditions under which the tests were performed. Least Uncertainties of Measurement - Least Uncertainties of Measurement - 0.05°C Short Term Fluct a.011dB Temperature and 0.05°C 0.017kPa Short Term Fluct a.022B	Equip	ment Tested/ Model Number	: Pulsar 105			
Ambient Temperature : 22.3°C Relative Humidity : 55.6% Barometric Pressure : 99.9kPa Calibration Technician : Vicky Jaiswal : 14/03/2017 : Report Issue Date : 15/03/2017 Approved Signatory : Construction Date : 15/03/2017 Approved Signatory : Construction Construction Construction Construction Date : 15/03/2017 Approved Signatory : Construction Construct	-					
Relative Humidity: 55.6% Barometric Pressure: 99.9kPa Calibration Technician: Vicky Jaiswal Secondary Check: Riley Cooper Calibration Date: HV03/2017 Ken Williams Approved Signatory: Williams Ken Williams Lause and Characteristic Tested Result Clause and Characteristic Tested Result 22: Generated Sound Pressure Level Pass 5.3: Cital Distortion Pass 23: Short Term Pluctuation Pass 5.5: Total Distortion Pass 23: Short Term Pluctuation Pass 5.5: Total Distortion Pass Easured Output 94.0 1000.0 94.1 1000.32 te sound calibrator has been shown to conform to the class 1 requirements for periodic testing, described in Annex B of IEC 60942:2004 for the sound pressure level(s) and frequency(ies) stated, for the environmental conditions under which the tests were performed. Least Uncertainties of Measurement - Least Uncertainties of Measurement - 0.035% Short Term Fluct 0.024B Temperature & 0.035% 20.035% Distortion 0.035 All uncertainties are derived at the 95% confidence level with a coverage factor of 2. Very and the save and thistonic entifficate is to be read in conjunction with the				ons		
Calibration Technician :: Vicky Jaiswal Secondary Check: Riley Cooper Report Issue Date :: 15/03/2017 Approved Signatory : Ken Williams Issue and Characteristic Tested Result Clause and Characteristic Tested Result 2.2: Generated Sound Pressure Level Pass 5.3: Frequency Generated Pass 2.3: Short Term Fluctuation Pass 5.5: Total Distortion Pass Nominal Level Nominal Frequency Measured Level Measured Frequency feasured Output 94.0 1000.0 94.1 1000.32 the sound calibrator has been shown to conform to the class 1 requirements for periodic testing, described in Annex B of IEC 60942:2004 for the sound calibrator has been shown to conform to the class 1 requirements for periodic testing, described in Annex B of IEC 60942:2004 for the sound pressure level(s) and frequency(ies) stated, for the environmental conditions Generated SPL = 0.11dB Environmental Conditions 40.03°C Short Term Fluce, and 0.2dB Relative Humidity ±0.40% Frequency ±0.01% Barometric Pressure ±0.017&Pa Distortion ±0.55 All uncertainties are derived at the 95% confidence level with a coverage factor of 2. This calibration certificate is to be read in conjunction with the calibration test report. Acoustic Research Labs Pty Lid is NATA Accredited Laboratory Number 14172. Accredited for compliance with ISO/IEC 17025. The results of the tests, calibrations and/or measurements included in this document are traceable to ArXA is a signatory to the ILAC Mutual Recognition Arrangement for the mutual recognition of the capital and mational standards. NATA is a signatory to the LAC Mutual Recognition Arrangement for the mutual recognition of the capital calibration ereports.						
Calibration Date: 14/03/2017 Report Issue Date: 15/03/2017 Approved Signatory: Image and Characteristic Tested Result Clause and Characteristic Tested Result 2.2: Generated Sound Pressure Level Pass 5.3.2: Frequency Generated Pass 5.3.2: Frequency Generated Pass 2.3: Short Term Fluctuation Pass 5.5: Total Distortion Pass Temperature Measured Level Measured Frequency Measured Level Measured Frequency Resured Output 94.0 1000.0 94.1 1000.32 te sound calibrator has been shown to conform to the class I requirements for periodic testing, described in Annex B of IEC 60942:2004 for the sound pressure level(s) and frequency(ies) stated, for the environmental conditions under which the tests were performed. Least Uncertainties of Measurement - Environmental Conditions 0.05% Short Term Flact 40.024B Relative Humidhy 40.046% Short Term Flact 40.024B Relative Humidhy 40.046% Distortion ±0.35% All uncertainties are derived at the 95% confidence level with a coverage factor of 2. Market State All uncertainties are derived at the 95% confidence level with a coverage factor of 2. All uncertainties are derived at the 95% confi		Barometric Pressure	: 99.9kPa			
Approved Signatory: Ken Williams Image and Characteristic Tested Result Rase at and Characteristic Tested Result 2.2: Generated Sound Pressure Level Pass 5.3: 25: Frequency Generated Pass 2.3: Short Term Fluctuation Pass 5.1: Stall Distortion Pass 2.3: Short Term Fluctuation Pass 5.1: Stall Distortion Pass 2.4: Compared Support Pass 9.1: 1000.0 Pass Pass 2.5: Short Term Fluctuation Pass 5.1: Stall Distortion Pass Pass 2.5: Short Term Fluctuation Pass <						a second
Instrumentation Result Clause and Characteristic Tested Result Laws and Characteristic Sound Pressure Level Pass 5.3.2: Frequency Generated Pass 2.3: Short Term Fluctuation Pass 5.5: Total Distortion Pass 2.3: Short Term Fluctuation 94.0 1000.0 94.1 1000.32 te sound calibrator has been shown to conform to the class 1 requirements for periodic testing, described in Annex B of IEC 60942.2004 for the sound pressure level(s) and frequency(les) stated, for the environmental conditions under which the tests were performed. ceific Tests Environmental Conditions 0.05°C Generated SPL =0.11dB Temperature ±0.05°C Short Term Fluct. =0.02dB Relative Humidaj ±0.46% Distortion ±0.35% Barometric Pressure ±0.017kPa All uncertainties are derived at the 95% confidence level with a coverage factor of 2. Acoustic Research Labs Pty Ltd is NATA Accredited Laboratory Number 14172. Accustic Research Labs Pty Ltd is NATA Accredited Laboratory Number 14172. Accustic Research Labs Pty Ltd is NATA Accredited Laboratory Number 14172. Accustic Research Labs Pty Ltd is NATA Accredited Laboratory Number 14172. Accustic Research Labs Pty Ltd is NATA Accredited Laboratory Number 14172. Accustic Research Labs of the te	Canoration		an	ort issue Date :		w Williams
2.2: Generated Sound Pressure Level Pass 5.3.2: Frequency Generated Pass 2.3: Short Term Fluctuation Pass 5.5: Total Distortion Pass Nominal Level Nominal Frequency Measured Level Measured Frequency feasured Output 94.0 1000.0 94.1 1000.32 te sound calibrator has been shown to conform to the class 1 requirements for periodic testing, described in Annex B of IEC 60942:2004 for the sound pressure level(s) and frequency(ies) stated, for the environmental conditions under which the tests were performed. Least Uncertainties of Measurement - Environmental Conditions Generated SPL =0.11dB Temperature =0.035 °C Short Term Fluct =0.02dB Relative Hannaby =0.047 %C Short Term Fluct =0.02dB Relative Hannaby =0.017 &Pa Distortion =0.3% All uncertainties are derived at the 95% confidence level with a coverage factor of 2. All uncertainties are derived at the 95% confidence level with a coverage factor of 2. Accustic Research Labs Pty Ltd is NATA Accredited Laboratory Number 14172. Accredited for compliance with ISO/IEC 17025. The results of the tests, calibrations and/or measurements included in this document are traceable to Australian/national standards. NATA is a signatory to the ILAC Mutual Re	Channes and Channes		a ce			1
Nominal Level Nominal Frequency Measured Level Measured Frequency leasured Output 94.0 1000.0 94.1 1000.32 ne sound calibrator has been shown to conform to the class 1 requirements for periodic testing, described in Annex B of IEC 60942:2004 for the sound pressure level(s) and frequency(ies) stated, for the environmental conditions under which the tests were performed. Least Uncertainties of Measurement - ecific Tests Environmental Conditions Generated SPL a.0.11dB Temperature 4.0.05°C Short Term Flact a.0.02dB Relative Humidity 4.0.40% Prequency a.0.075 Barometric Pressure a.0.07KPa Distortion a.0.5% Barometric Pressure a.0.07KPa All uncertainties are derived at the 95% confidence level with a coverage factor of 2. All uncertainties are derived at the 95% confidence level with a coverage factor of 2.						
Iteasured Output 94.0 1000.0 94.1 1000.32 ne sound calibrator has been shown to conform to the class 1 requirements for periodic testing, described in Annex B of IEC 60942:2004 for the sound pressure level(s) and frequency(ies) stated, for the environmental conditions under which the tests were performed. Least Uncertainties of Measurement - Environmental Conditions Generated SPL =0.11dB Temperature =0.035 °C Short Term Fluct =0.02dB Relative Humidity =0.46% Frequency =0.01% Barometric Pressure =0.017kPa Distortion =0.3% Barometric Pressure =0.017kPa All uncertainties are derived at the 95% confidence level with a coverage factor of 2. All uncertainties are derived at the 95% confidence level with a coverage factor of 2. This calibration certificate is to be read in conjunction with the calibration test report. Accoustic Research Labs Pty Ltd is NATA Accredited Laboratory Number 14172. Accoustic Research Labs Pty Ltd is NATA Accredited Laboratory Number 14172. Accredited for compliance with ISO/IEC 17025. The results of the tests, calibrations and/or measurements included in this document are traceable to Australian/national standards. NATA is a signatory to the ILAC Mutual Recognition Arrangement for the mutual recognition of the equivalence of testing, medical testing, calibration and inspection reports. <th>5.2.3: Short Term Flu</th> <th>ctuation</th> <th>Pass 5.5: To</th> <th>tal Distortion</th> <th></th> <th>Pass</th>	5.2.3: Short Term Flu	ctuation	Pass 5.5: To	tal Distortion		Pass
resound calibrator has been shown to conform to the class 1 requirements for periodic testing, described in Annex B of IEC 60942:2004 for the sound pressure level(s) and frequency(ies) stated, for the environmental conditions under which the tests were performed. Least Uncertainties of Measurement - ceific Tests Environmental Conditions Generated SPL ±0.11dB Temperature ±0.05°C Short Term Fluct. ±0.02dB Relative Flumidajy ±0.46% Frequency ±0.01%5 Barometric Pressure ±0.017kPa Distortion ±0.5% Relative Flumidajy ±0.46% Frequency ±0.01%5 Barometric Pressure ±0.017kPa Distortion ±0.5% Relative Flumidajy ±0.46% All uncertainties are derived at the 95% confidence level with a coverage factor of 2. All uncertainties are derived at the 95% confidence level with a coverage factor of 2. This calibration certificate is to be read in conjunction with the calibration test report. Acoustic Research Labs Pty Ltd is NATA Accredited Laboratory Number 14172. Accredited for compliance with ISO/IEC 17025. The results of the tests, calibrations and/or measurements included in this document are traceable to Australian/national standards. NaTA is a signatory to the ILAC Mutual Recognition Arrangement for the mutual recognition of the equivalence of testing, medical testing, cali	Massurad Output		the second s	the second s		
the sound pressure level(s) and frequency(ies) stated, for the environmental conditions under which the tests were performed Least Uncertainties of Measurement - ceific Tests Generated SPL ±0.11dB Temperature ±0.05°C Short Term Fluct. ±0.02dB Relative Humidity ±0.46% Frequency ±0.01% Barometric Pressure ±0.017kPa Distortion ±0.5% Confidence level with a coverage factor of 2. All uncertainties are derived at the 95% confidence level with a coverage factor of 2. This calibration certificate is to be read in conjunction with the calibration test report. Accurate for compliance with ISO/IEC 17025. The results of the tests, calibrations and/or measurements included in this document are traceable to Australian/national standards. NATA is a signatory to the ILAC Mutual Recognition Arrangement for the mutual recognition of the equivalence of testing, medical testing, calibration and inspection reports.	19-12-11-12-3	Cardina - Cardon Cardon Cardon	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		Section and the section of	
cecific Tests Environmental Conditions Generated SPL ±0.11dB Temperature ±0.05°C Short Term Fluct. ±0.02dB Relative Humidity ±0.46% Frequency ±0.01% Barometric Pressure ±0.017kPa Distortion ±0.5% All uncertainties are derived at the 95% confidence level with a coverage factor of 2. All uncertainties are derived at the 95% confidence level with a coverage factor of 2. Accustic Research Labs Pty Ltd is NATA Accredited Laboratory Number 14172. Accredited for compliance with ISO/IEC 17025. The results of the tests, calibrations and/or measurements included in this document are traceable to Australian/national standards. NATA is a signatory to the ILAC Mutual Recognition Arrangement for the mutual recognition of the equivalence of testing, medical testing, calibration and inspection reports.		re level(s) and frequency(ies) stated, for	r the environmental	conditions under which		
Short Term Fluct. ±0.02dB Relative Humidity ±0.46% Frequency ±0.01% ±0.01% ±0.017kPa Distortion ±0.5% All uncertainties are derived at the 95% confidence level with a coverage factor of 2. All uncertainties are derived at the 95% confidence level with a coverage factor of 2. Image: the state of the state of the state is to be read in conjunction with the calibration test report. Accessive the state of the sta	specific Tests		Environmental	Conditions		
Frequency Distortion ±0.01% ±0.5% All uncertainties are derived at the 95% confidence level with a coverage factor of 2. Image: the state of the state						
All uncertainties are derived at the 95% confidence level with a coverage factor of 2. All uncertainties are derived at the 95% confidence level with a coverage factor of 2. Research Labs Pry Ltd is NATA Accredited Laboratory Number 14172. Accredited for compliance with ISO/IEC 17025. The results of the tests, calibrations and/or measurements included in this document are traceable to Australian/national standards. NATA is a signatory to the ILAC Mutual Recognition Arrangement for the mutual recognition of the equivalence of testing, medical testing, calibration and inspection reports.			Barometri	ic Pressure ±1	0.017kPa	1912
Image: Note that the set of the tests, calibrations and/or measurements included in this document are traceable to dustralian/national standards. Image: Note tests and the tests, calibrations and/or measurements included in this document are traceable to dustralian/national standards. Image: Note tests and the tests, calibrations and/or measurements included in this document are traceable to dustralian/national standards. Image: Note tests and testing, medical testing, calibration and inspection reports.	Distortion					
Acoustic Research Labs Pty Ltd is NATA Accredited Laboratory Number 14172. Accredited for compliance with ISO/IEC 17025. The results of the tests, calibrations and/or measurements included in this document are traceable to Australian/national standards. NATA is a signatory to the ILAC Mutual Recognition Arrangement for the mutual recognition of the equivalence of testing, medical testing, calibration and inspection reports.		All uncertainties are derived at the	95% confidence lev	el with a coverage fact	or of 2.	
Acoustic Research Labs Pty Ltd is NATA Accredited Laboratory Number 14172. Accredited for compliance with ISO/IEC 17025. The results of the tests, calibrations and/or measurements included in this document are traceable to Australian/national standards. NATA is a signatory to the ILAC Mutual Recognition Arrangement for the mutual recognition of the equivalence of testing, medical testing, calibration and inspection reports.						
Acoustic Research Labs Pty Ltd is NATA Accredited Laboratory Number 14172. Accredited for compliance with ISO/IEC 17025. The results of the tests, calibrations and/or measurements included in this document are traceable to Australian/national standards. NATA is a signatory to the ILAC Mutual Recognition Arrangement for the mutual recognition of the equivalence of testing, medical testing, calibration and inspection reports.						
Acoustic Research Labs Pty Ltd is NATA Accredited Laboratory Number 14172. Accredited for compliance with ISO/IEC 17025. The results of the tests, calibrations and/or measurements included in this document are traceable to Australian/national standards. NATA is a signatory to the ILAC Mutual Recognition Arrangement for the mutual recognition of the equivalence of testing, medical testing, calibration and inspection reports.						
Acoustic Research Labs Pty Ltd is NATA Accredited Laboratory Number 14172. Accredited for compliance with ISO/IEC 17025. The results of the tests, calibrations and/or measurements included in this document are traceable to Australian/national standards. NATA is a signatory to the ILAC Mutual Recognition Arrangement for the mutual recognition of the equivalence of testing, medical testing, calibration and inspection reports.						
Accredited for compliance with ISO/IEC 17025. The results of the tests, calibrations and/or measurements included in this document are traceable to Australian/national standards. NATA is a signatory to the ILAC Mutual Recognition Arrangement for the mutual recognition of the equivalence of testing, medical testing, calibration and inspection reports.	Second Mary	This calibration certificate is to be re-	ead in conjunction ²	with the calibration test	t report.	
The results of the tests, calibrations and/or measurements included in this document are traceable to Australian/national standards. NATA is a signatory to the ILAC Mutual Recognition Arrangement for the mutual recognition of the equivalence of testing, medical testing, calibration and inspection reports.	~			aboratory Number 141	172.	
Australian/national standards. NATA is a signatory to the ILAC Mutual Recognition Arrangement for the mutual recognition of the equivalence of testing, medical testing, calibration and inspection reports.	NATA					
ACCREDITATION NATA is a signatory to the ILAC Mutual Recognition Arrangement for the mutual recognition of the equivalence of testing, medical testing, calibration and inspection reports.			and/or measuremen	its included in this doci	ument are traceable to	
equivalence of testing, medical testing, calibration and inspection reports.	V	and the second	lutual Recognition		utual recognition of the	c
TANDER						
	WORLD RECOSINSED			inspection reports.	Dac	ELOF L